

**CASE II**  
AGRICULTURE  
THE HEART OF FARMING BEATS RED

# FARMALL C

75 - 115 HP TRACTORS





# CASE IH FARMALL C

Ready to work as hard as you.

Getting the job done can mean working the whole day every day. And it means having equipment that works as hard as you do. The Farmall C series tractors from Case IH are more than ready to do their part – built to deliver the power and performance you need, reliably and cost-effectively. And they deliver a level of operator comfort that makes long, hard days more productive. This is a new generation of Case IH utility tractors that is as ready as you are for a hard day's work.

- INDUSTRY-LEADING FEATURES 4-5
- THE FARMALL C FAMILY 6-7
- ULTIMATE IN VERSATILITY 8-9
- OPERATOR ENVIRONMENT 10-11
- LOADERS 12
- HAY OPERATIONS 13
- SYSTEMS APPROACH 14
- PRODUCT SPECIFICATIONS 15







## READY TO DO IT ALL

Case IH Farmall C series tractors are hard-working, heavy-duty, deluxe tractors with flexible options to handle any application. These deluxe utility tractors feature full power, full comfort and full features, and are ideal for demanding livestock duties, larger hay operations and heavy loader work.

### **INTUITIVE INNOVATION.**

Case IH has more people working hand in hand with producers to reach one goal: helping them be ready for the tasks at hand with easy-to-understand controls, improved technologies and more efficient power. For more information about available models, see pages 6 – 7.

### **VERSATILITY.**

Farmall C tractors can be configured for all types of work, from field to feed lot. And our selection of transmission options give you the power and control you need plus smooth and simple operation. For more information see pages 8 – 9.

### **OPERATOR ENVIRONMENT.**

Work in comfort in the cab of the Farmall C series. With extra conveniences and space to stretch out, you'll power through long days and be more productive than you ever imagined. For more details about our cabs, see pages 10 – 11.

### **LOADERS TO MATCH.**

Add a loader and one or more of over a dozen available attachments and get even more out of your Farmall C series tractor. Tackle loads with the 64 L/min hydraulic pump. For more loader and attachments information see pages 12 – 13.





# FARMALL C FAMILY

MODELS	ENGINE	ENGINE HP	PTO HP	AVAILABLE CONFIGURATIONS	TRACTION
Farmall 75C	4 cyl, 3.4L (207 cu. in.)	75	60	Cab & ROPS	MFD
Farmall 95C		99	82		
Farmall 105C		107	91		
Farmall 115C		114	96		

## POWERHOUSE ENGINES THAT SAVE FUEL.

Tough at heart with updated clean-diesel technology, the new Farmall 95C – 115C models use Tier 4A-compliant Case IH FPT 4-cylinder 3.4-L turbocharged and intercooled engines. Precise electronic metering of fuel delivered with electronic high-pressure common-rail fuel injection provides a more efficient combustion process. This means improved efficiency, extended engine life, improved cold engine starting, but most importantly, greater fuel savings, all while maintaining high horsepower levels.

## MORE POWER. MORE OPTIONS. BECAUSE THERE'S ALWAYS MORE TO DO.

From the feedlot to the pasture, the new Case IH Farmall C Series tractors reliably and cost-effectively deliver the power and performance utility tractor owners expect, all in a superior interior environment. The new utility powerhouses meet the demand for rugged, yet comfortable and easy-to-operate, equipment to get day-to-day jobs done. All four models come in either a cab or ROPS version, and are configured for simple service – all tractors feature a one-piece, flip-up hood for engine and component access. The air filter and fuse box are accessible from the fender.





# ULTIMATE IN VERSATILITY

**ANY TASK. ANY TIME. ANYWHERE.**

There's a reason why it was named the Farmall – because it really can just about do it all. A heavy-duty, compact frame, durable components and plenty of power to the PTO makes it a pleasure to pull out of the shed every day.



## THE TRANSMISSION THAT WORKS FOR YOU.

The Farmall 75C model features a standard 12 x 12 power shuttle, plus a creeper 20 x 20 power shuttle option. The Farmall 95C – 115C tractors comes with a 24 x 24 Hi Lo power shuttle or an optional 40 x 40 power shuttle transmission with creeper. This transmission that has been tried and tested.

## THREE-POINT HITCH REALLY PULLS ITS WEIGHT.

A three-point lift system with single-lever position control and a draft-sensing top link can lift 3570 kg. For stability with a load, the Farmall C has standard-flex lower links with telescopic stabilisers and right-link turnbuckle leveling. The category II hitch ends convert to category I, and a swinging drawbar is standard.

## HYDRAULICS KEEP EVERYTHING MOVING SMOOTHLY.

Farmall C tractors are built for implements, and the hydraulic system handles them with ease. An open-center system with dual, engine-driven hydraulic pumps delivers performance where and when you need it. Two remote valves come standard on all Farmall C tractors, and you have an option for a third. The standard implement pump is 64 L/min pump for more capacity for the 95C – 115C.

## GOOD IN A TIGHT SPOT.

Farmall C tractors offer a lot of power in a small package – which makes them perfect for those tight squeezes in and around buildings, yards and on narrow pathways.



# OPERATOR ENVIRONMENT

## STRETCH OUT IN THE ULTIMATE OPERATOR ENVIRONMENT.

The Farmall C series features a quiet cab that promises to provide outstanding operator comfort along with greater ease of operation. The industry-leading cab entry features a large opening with well-placed steps and hand holds.

And the view is great from here: the standard high visibility roof panel and sloped hood provide best-in-class visibility when performing loader work and when operating in confined spaces.



## YOUR OUTSIDE OFFICE.

If you're working all day from the seat of your tractor, and a cab is on your "must have" list, the Farmall C cab is for you. Inspired by the Magnum™, Puma® and Maxxum® series tractor cabs, and perfected with input from operators like you, the Farmall C cab boasts a variety of comfort and convenient options and some very important standard features.

## KEEP AN EYE ON EVERYTHING.

With a high visibility roof panel, forward visibility has never been better. This panel provides improved visibility during loader work, even when the loader is extended to full height. In addition, the sloped hood provides industry-leading forward visibility.

## DO YOUR BEST WORK IN COMFORT.

Farmall C cabs are designed for maximum efficiency in any condition. And they're surprisingly roomy. Big enough for an instructor seat that allows two adults to ride together – comfortably. An air suspension operator's seat with 15-degree swivel is standard.

# THIS IS WORK, NOT A WORKOUT

## HIGH-VISIBILITY ROOF PANEL:

An overhead hood window panel is now available. This panel, which can easily be opened, provides improved visibility during loader work.

## ROOM TO MOVE:

The larger driver's seat offers a full 15 degrees of pivot freedom – and the control cluster pivots right along with the steering wheel.

## CONTROLS WITHIN REACH:

Farmall series controls have a speed display included on the instrument cluster, the loader joystick location is optimized for comfortable operation and remote valves are positioned for easy access – all based on customer input.





# LOADERS

## CASE IH LOADERS ARE READY TO WORK FOR YOU.

For your convenience, Case IH provides the option of two loaders. Choose from the heavy-duty Vision-Lift or the premium Prime-Lift, which are all manufactured to match the Farmall C tractor line. Your dealer can help you choose the one that's right for you. Each model is standard with mechanical self-leveling and can be optioned with a 1800mm or 2100mm quick attach general purpose or 4 in1 bucket and a standard bonnet bump guard.



## QUICK ATTACH BUCKETS

The AUS style quick attach coupler, features a large 31.75mm locking pin or can be optioned with the EURO style quick attach coupler which makes changing buckets and other attachments easy. Vision-Lift loaders can be optioned with an hydraulic quick attach coupler allowing the operator to never have to get out of the tractor.

# ATTACHMENTS

## HANDLES HAY OPERATIONS LIKE A PRO.

With their rugged design, heavy-duty frame and tough components, Farmall C tractors deliver outstanding maneuverability and stability in the tough terrain of hay operations. Equip your Farmall C with a Case IH mower-

conditioner, baler or loader and handle any job. Loader attachments include buckets, blades and pallet forks – along with bale forks, bale probes, grapples and more. Farmall C – We've got the tools you need for everything you need to do.





# SYSTEMS APPROACH

When you buy a Case IH machine, you can be sure not only that you're buying the best product, but also that you've got the best dealer back-up behind you. Case IH dealers can offer advice on selecting and financing the right machine, will ensure they deliver what you need when you need it, and will then continue to back you and your equipment with the service and spare parts backing you'd expect from a name as trusted as Case IH.



## IT'S LIKE HAVING A PARTNER BESIDE YOU ALL SEASON.

Case IH has more professionals in the field working alongside producers than anyone else – two out of three Case IH employees work right where you do. Case IH dealers have the know-how to help you manage your equipment investment to get the most out of every dollar. Our parts and service technicians have the skills and expertise it takes to maintain your equipment and keep it operating at peak performance. And CNH Capital can work with you to customise financing solutions that fit your unique needs. It's an entire system with only one goal in mind – to keep you up and running, working the way you want.



## STANDARD REDCOVER PLUS PROTECTION PLAN (SPP).

At Case IH we understand the importance of your product being serviced and maintained in good working order when it counts. We recognise you expect your product will deliver on the ever increasing productivity demands. Case IH customers deserve the additional peace of mind of knowing your product is covered should the unexpected occur with 3 years / 3000 hour standard REDCover Plus Protection Plan (SPP).



## OFFERING FINANCIAL SOLUTIONS FOR MORE THAN 50 YEARS.

CNH Industrial Capital's extensive experience in the agricultural industry has created a deep understanding of your unique needs. Competitive equipment financing with flexible payments can be timed to your cash flow. Or, conserve capital and reduce upfront payments with operating lease options. For other needs, choose from commercial revolving accounts specific to the agricultural industry. We can even help you protect your equipment investment with a wide variety of insurance and equipment protection products. There are financing options that fit the way you farm. CNH Industrial Capital helps you find them.

## FARMALL C SERIES TRACTOR SPECIFICATIONS

TRACTOR MODEL	75C	95C	105C	115C
<b>ENGINE</b>				
Type	4-cylinder – FPT			
Displacement	195 cu. in. (3.2 L)	207 cu. in. (3.4 L) – High Pressure common rail		
Gross Engine HP	75	99	107	114
PTO HP	60	82	91	96
Emissions	Tier 3	Tier 4A		
Emissions System	N/A	Cooled Exhaust Gas Recirculation (CEGR)		
Engine Oil Change Interval	300 Hours	600 Hours		
<b>TRANSMISSIONS</b>				
Standard	12 x 12 Power Shuttle	24 x 24 Power Shuttle Hi Lo		
Option 1	20 x 20 Power Shuttle Creeper	40 x 40 Power Shuttle Creeper		
<b>3-POINT HITCH</b>				
Lift Capacity @ 24" (kg)	1886	3356		
<b>PTO</b>				
Base PTO Speeds rpm	540 / 540E	540 / 1000		
Optional PTO Speeds rpm	-	540 / 540E		
<b>HYDRAULICS</b>				
Base Rear Remotes	2 remote			
Optional Rear Remotes	3rd remote from factory; 3rd remote available through Parts Division			
Main Pump Flow L / min	47.5	64		
Steering And Services Pump L / min	35	37		
<b>DIMENSIONS* MFD / CAB</b>				
Overall Length mm	4001	4241		
Overall Width (Across Fenders) mm	1922	1923		
Overall Height (Cab) mm	2484	2581		
Overall Height (ROPS) mm	2652	1999		
Wheelbase mm	2102	2235		
<b>WEIGHT MFD / CAB</b>				
Weight (kg)	2800	3600		

Note: Engine-Number of cylinders, Fuel tank capacity, Alternator Std./opt.





[caseih.com](http://caseih.com)

SAFETY NEVER HURTS!™ Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH Industrial Australia Pty Ltd reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used. ©2016 CNH Industrial Australia Pty Ltd. All rights reserved. Case IH, its respective logos and the red, black and grey color scheme, as well as corporate and product identity used herein, are trademarks of CNH Industrial N.V. and may not be used without permission. Case IH is a trademark registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Printed in Australia. [www.caseih.com](http://www.caseih.com) 17AUSFAR002

**CASE IH**  
AGRICULTURE  
THE HEART OF FARMING BEATS RED